

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Olmitz-----	35	Not limited		Not limited		Not limited	
Vesser-----	33	Not limited		Not limited		Not limited	
Zook-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
23C2: Arispe-----	90	Not limited		Not limited		Not limited	
24D2: Shelby-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.08
51: Vesser-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
51B: Vesser-----	95	Not limited		Not limited		Not limited	
54: Zook-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
65D2: Lindley-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
65E: Lindley-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65F2: Lindley-----	85	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
65G: Lindley-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
74: Rubio-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
75: Givin-----	95	Not limited		Not limited		Not limited	
75B: Givin-----	90	Not limited		Not limited		Not limited	
76B: Ladoga-----	90	Not limited		Not limited		Not limited	
76C2: Ladoga-----	90	Not limited		Not limited		Not limited	
76D2: Ladoga-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
80B: Clinton-----	90	Not limited		Not limited		Not limited	
80C2: Clinton-----	90	Not limited		Not limited		Not limited	
80D2: Clinton-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
87B: Colo-----	68	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Zook-----	22	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
122: Sperry-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
130: Belinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
131B: Pershing-----	90	Not limited		Not limited		Not limited	
131B2: Pershing-----	95	Not limited		Not limited		Not limited	
131C2: Pershing-----	85	Not limited		Not limited		Not limited	
132B: Weller-----	90	Not limited		Not limited		Not limited	
132C: Weller-----	90	Not limited		Not limited		Not limited	
132C2: Weller-----	85	Not limited		Not limited		Not limited	
132D: Weller-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
132D2: Weller-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
139: Perks-----	90	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty Flooding Too sandy	1.00 0.60 0.50
179D2: Gara-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
179E2: Gara-----	85	Somewhat limited		Not limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02			Slope	1.00
180: Keomah-----	95	Not limited		Not limited		Not limited	
180B: Keomah-----	95	Not limited		Not limited		Not limited	
208: Klum-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
211: Edina-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222C2: Clarinda-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
223C2: Rinda-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
260: Beckwith-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
263: Okaw-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
264B: Ainsworth-----	85	Not limited		Not limited		Not limited	
273B: Olmitz-----	90	Not limited		Not limited		Not limited	
279: Taintor-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
280: Mahaska-----	95	Not limited		Not limited		Not limited	
280B: Mahaska-----	95	Not limited		Not limited		Not limited	
281B: Otley-----	85	Not limited		Not limited		Not limited	
281B2: Otley-----	85	Not limited		Not limited		Not limited	
281C: Otley-----	85	Not limited		Not limited		Not limited	
281C2: Otley-----	85	Not limited		Not limited		Not limited	
293C: Chelsea-----	65	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.41
Fayette-----	25	Not limited		Not limited		Not limited	
293F: Chelsea-----	65	Somewhat limited Too sandy Slope	0.95 0.08	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.41
Fayette-----	25	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
313E2: Gosport-----	90	Not limited		Not limited		Very limited Slope Droughty Depth to bedrock	0.96 0.73 0.46

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
313G: Gosport-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
						Droughty	0.73
						Depth to bedrock	0.46
						Depth to saturated zone	0.03
315: Nodaway-----	45	Not limited		Not limited		Somewhat limited Flooding	0.60
Klum-----	25	Not limited		Not limited		Somewhat limited Flooding	0.60
Perks-----	20	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Droughty	1.00
						Flooding	0.60
						Too sandy	0.50
362: Haig-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
363: Haig-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
364B2: Grundy-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
423D2: Bucknell-----	85	Not limited		Not limited		Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
424D2: Lindley-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
Keswick-----	40	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
424E2: Lindley-----	45	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Keswick-----	40	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
425D: Keswick-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
425D2: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
430: Ackmore-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
						Depth to saturated zone	0.19
453: Tuskeego-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
499G: Nordness-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.04	Very limited Depth to bedrock Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Droughty	0.69
520: Coppock-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
520B: Coppock-----	95	Not limited		Not limited		Not limited	
570C2: Nira-----	85	Not limited		Not limited		Not limited	
571C2: Hedrick-----	85	Not limited		Not limited		Not limited	
572C2: Inton-----	85	Not limited		Not limited		Not limited	
572D2: Inton-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
587: Chequest-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
594D2: Galland-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
729: Nodaway-----	55	Not limited		Not limited		Somewhat limited Flooding	0.60
Coppock-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
730B: Nodaway-----	40	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
Coppock-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Cantril-----	20	Not limited		Not limited		Not limited	
779: Kalona-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
792C2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
792D2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
795C2: Ashgrove-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
795D2: Ashgrove-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.63
822D2: Lamoni-----	95	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
831B: Pershing-----	90	Not limited		Not limited		Not limited	
831C2: Pershing-----	85	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
832B: Weller-----	90	Not limited		Not limited		Not limited	
832C2: Weller-----	85	Not limited		Not limited		Not limited	
832D2: Weller-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
876B: Ladoga-----	90	Not limited		Not limited		Not limited	
876C2: Ladoga-----	85	Not limited		Not limited		Not limited	
880B: Clinton-----	90	Not limited		Not limited		Not limited	
880C2: Clinton-----	85	Not limited		Not limited		Not limited	
880D2: Clinton-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
977: Richwood-----	90	Not limited		Not limited		Not limited	
993D2: Gara-----	45	Not limited		Not limited		Somewhat limited Slope	0.63
Armstrong-----	40	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
993E2: Gara-----	45	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Armstrong-----	40	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
994D2: Galland-----	65	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
Douds-----	20	Not limited		Not limited		Somewhat limited Slope	0.63
994E2: Galland-----	50	Somewhat limited Slope	0.02	Not limited		Very limited Slope Depth to saturated zone	1.00 0.19
Douds-----	35	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
1075B: Givin-----	95	Not limited		Not limited		Not limited	
1130: Belinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1260: Beckwith-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1715: Nodaway-----	40	Not limited		Not limited		Somewhat limited Flooding	0.60
Vesser-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ackmore-----	20	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
5020: Pits And Dumps-----	100	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Jefferson County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5030: Pits, Limestone Quar	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	